



SAFETY DATA SHEET BAZOOKA SPOT REMOVER

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product name BAZOOKA SPOT REMOVER
Product No. A401

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Bazooka Spot Remover is specially formulated for use with Prochem's Bazooka Gum Removal unit to effortlessly remove chewing gum from carpets. It can also be used without the Bazooka unit to remove chewing gum and many oil-based spots from carpets, fabrics and most surfaces.

1.3. Details of the supplier of the safety data sheet

Supplier Prochem Europe Ltd
Oakcroft Road
Chessington
Surrey
KT9 1RH
Telephone: 020 8974 1515
Fax: 020 8974 1511
www.prochem.co.uk
sales@prochem.co.uk

1.4. Emergency telephone number

020 8974 1515 (office hours 8am to 5pm Monday to Friday) Emergency Action: In the event of a medical enquiry involving this product, please contact your doctor or local hospital accident and emergency department, who may seek advice from the UK National Poisons Information Service, where our full product details are held.

SECTION 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

Classification (EC 1272/2008)

Physical and Chemical Hazards Flam. Aerosol 1 - H222
Human health EUH066;Skin Sens. 1 - H317
Environment Aquatic Chronic 2 - H411

Classification (1999/45/EEC) R43. F+;R12. N;R51/53. R66.

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

Human health

Irritation of eyes and mucous membranes. May cause sensitisation by skin contact. Vapours may cause headache, fatigue, dizziness and nausea. Gastrointestinal symptoms, including upset stomach. Repeated exposure may cause skin dryness or cracking.

Environment

The product contains a substance which is very toxic to aquatic organisms and which may cause long term adverse effects in the aquatic environment.

2.2. Label elements

Contains ORANGE TERPENES

Detergent Labelling

>= 30% Aliphatic hydrocarbons

Label In Accordance With (EC) No. 1272/2008

BAZOOKA SPOT REMOVER



| | | |
|---|--|--|
| Signal Word | Danger | |
| Hazard Statements | H222 H317 H411 | Extremely flammable aerosol. May cause an allergic skin reaction. Toxic to aquatic life with long lasting effects. |
| Precautionary Statements | P102 P210 P211 P251 P280 P501 | Keep out of reach of children. Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Do not spray on an open flame or other ignition source. Pressurized container: Do not pierce or burn, even after use. Wear protective gloves/protective clothing/eye protection/face protection. Dispose of contents/container in accordance with local regulations. |
| Supplementary Precautionary Statements | P272 P273 P261 P321 P302+352 P333+313 P363 P391 P410+412 | Contaminated work clothing should not be allowed out of the workplace. Avoid release to the environment. Avoid breathing vapour/spray. Specific treatment (see medical advice on this label). IF ON SKIN: Wash with plenty of soap and water. If skin irritation or rash occurs: Get medical advice/attention. Wash contaminated clothing before reuse. Collect spillage. Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122° F. |
| Supplemental label information | EUH066 | Repeated exposure may cause skin dryness or cracking. |

2.3. Other hazards

See section 8 for details of exposure limits.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.2. Mixtures

| | | |
|---|--|---|
| HYDROCARBONS, C11-14, N-ALKANES,CYCLIC, <2% AROMATICS | | 30-100% |
| CAS-No.: | EC No.: 926-141-6 | Registration Number: 01-2119456620-43-xxxx |
| Classification (EC 1272/2008) EUH066 Asp. Tox. 1 - H304 | Classification (67/548/EEC) Xn;R65. R66. | |
| ORANGE TERPENES | | 10-30% |
| CAS-No.: 8028-48-6 | EC No.: 232-433-8 | |
| Classification (EC 1272/2008) Flam. Liq. 3 - H226 Skin Irrit. 2 - H315 Skin Sens. 1 - H317 Asp. Tox. 1 - H304 Aquatic Acute 1 - H400 Aquatic Chronic 1 - H410 | Classification (67/548/EEC) Xn;R65. Xi;R38. N;R50/53. R10,R43. | |

BAZOOKA SPOT REMOVER

| | | |
|--|--|------|
| CARBON DIOXIDE | | 1-5% |
| CAS-No.: 124-38-9 | EC No.: 204-696-9 | |
| Classification (EC 1272/2008) Not classified. | Classification (67/548/EEC) Not classified. | |

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

SECTION 4: FIRST AID MEASURES

4.1. Description of first aid measures

Inhalation

Remove victim immediately from source of exposure. Provide rest, warmth and fresh air.

Ingestion

Rinse mouth thoroughly. Do not induce vomiting. Get medical attention if any discomfort continues.

Skin contact

Wash the skin immediately with soap and water. Get medical attention if irritation persists after washing.

Eye contact

Promptly wash eyes with plenty of water while lifting the eye lids. Get medical attention promptly if symptoms occur after washing.

4.2. Most important symptoms and effects, both acute and delayed

Inhalation

Vapours may cause drowsiness and dizziness.

Ingestion

Due to the physical nature of this material it is unlikely that swallowing will occur.

Skin contact

Prolonged skin contact may cause redness and irritation. Repeated exposure may cause skin dryness or cracking. May cause sensitisation by skin contact.

Eye contact

Irritation of eyes and mucous membranes.

4.3. Indication of any immediate medical attention and special treatment needed

Treat Symptomatically.

SECTION 5: FIREFIGHTING MEASURES

5.1. Extinguishing media

Extinguishing media

Extinguish with foam, carbon dioxide or dry powder.

5.2. Special hazards arising from the substance or mixture

Hazardous combustion products

Fire creates: Carbon monoxide (CO). Carbon dioxide (CO₂).

Unusual Fire & Explosion Hazards

Aerosol cans may explode in a fire.

5.3. Advice for firefighters

Special Fire Fighting Procedures

Use water to keep fire exposed containers cool and disperse vapours.

Protective equipment for fire-fighters

Self contained breathing apparatus and full protective clothing must be worn in case of fire.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

For personal protection, see section 8.

6.2. Environmental precautions

BAZOOKA SPOT REMOVER

Do not discharge into drains, water courses or onto the ground.

6.3. Methods and material for containment and cleaning up

Extinguish all ignition sources. Avoid sparks, flames, heat and smoking. Ventilate. Do not contaminate water sources or sewer.

6.4. Reference to other sections

For personal protection, see section 8. For waste disposal, see section 13.

SECTION 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

Keep away from heat, sparks and open flame. Avoid contact with skin and eyes.

7.2. Conditions for safe storage, including any incompatibilities

Keep away from heat, sparks and open flame. Aerosol cans: Must not be exposed to direct sunlight or temperatures above 50°C.

7.3. Specific end use(s)

The identified uses for this product are detailed in Section 1.2.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

| Name | STD | TWA - 8 Hrs | | STEL - 15 Min | | Notes |
|--|-----|-------------|------------------------|---------------|--|-------|
| CARBON DIOXIDE | OES | 5000 ppm | | 15000 ppm | | |
| HYDROCARBONS, C11-14, N-ALKANES, CYCLIC, <2% AROMATICS | WEL | | 1000 mg/m ³ | | | |

WEL = Workplace Exposure Limit.

8.2. Exposure controls

Protective equipment



Engineering measures

No specific ventilation requirements noted, except this product must not be used in a confined space without good ventilation.

Respiratory equipment

For situations where recommended exposure limits may be exceeded or where there is a risk of inhalation of fine spray mists, a suitable respirator face mask is recommended.

Hand protection

Chemical resistant gloves required for prolonged or repeated contact. Use protective gloves made of: Rubber, neoprene or PVC. Protective gloves should be inspected for wear before use and replaced regularly in accordance with the manufacturers specifications.

Eye protection

Wear approved chemical safety goggles where eye exposure is reasonably probable.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Appearance Aerosol.

Colour Colourless.

Initial boiling point and boiling range (°C)

No information available.

Relative density

No information available.

Vapour density (air=1)

Not determined.

BAZOOKA SPOT REMOVER

Vapour pressure

Not determined.

Evaporation rate

Not determined.

pH-Value, Conc. Solution

Not applicable.

Viscosity

Not applicable.

Solubility Value (G/100G H₂O@20°C)

Not applicable.

Flash point (°C)

No information available.

Flammability Limit - Lower(%)

Not determined.

Explosive properties

Not applicable.

Oxidising properties

Not applicable.

9.2. Other information

None.

SECTION 10: STABILITY AND REACTIVITY

10.1. Reactivity

No specific reactivity hazards associated with this product.

10.2. Chemical stability

Stable under normal temperature conditions and recommended use.

10.3. Possibility of hazardous reactions

Not determined.

10.4. Conditions to avoid

Avoid heat, flames and other sources of ignition.

10.5. Incompatible materials**Materials To Avoid**

Strong oxidising substances.

10.6. Hazardous decomposition products

Fire or high temperatures create: Carbon dioxide (CO₂). Carbon monoxide (CO).

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects**Respiratory or skin sensitisation:**

Contains Orange terpenes May cause sensitisation by skin contact.

Germ cell mutagenicity:

No effects expected based upon current data.

Carcinogenicity:

No effects expected based upon current data.

Reproductive Toxicity:

No effects expected based upon current data.

Inhalation

Vapours may cause drowsiness and dizziness.

BAZOOKA SPOT REMOVER

Ingestion

Gastrointestinal symptoms, including upset stomach.

Skin contact

Repeated exposure may cause skin dryness or cracking. May cause sensitisation by skin contact.

Eye contact

Irritation of eyes and mucous membranes.

SECTION 12: ECOLOGICAL INFORMATION

12.1. Toxicity

The product contains a substance which is very toxic to aquatic organisms and which may cause long term adverse effects in the aquatic environment.

Acute Toxicity - Fish

Not determined.

12.2. Persistence and degradability

Degradability

There are no data on the degradability of this product.

12.3. Bioaccumulative potential

Bioaccumulative potential

No data available on bioaccumulation.

12.4. Mobility in soil

Mobility:

The product has poor water-solubility.

12.5. Results of PBT and vPvB assessment

This product does not contain any PBT or vPvB substances.

12.6. Other adverse effects

Not determined.

SECTION 13: DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Dispose of waste and residues in accordance with local authority requirements. Do not puncture or incinerate even when empty.

SECTION 14: TRANSPORT INFORMATION

14.1. UN number

| | |
|----------------------|------|
| UN No. (ADR/RID/ADN) | 1950 |
| UN No. (IMDG) | 1950 |
| UN No. (ICAO) | 1950 |

14.2. UN proper shipping name

| | |
|----------------------|----------|
| Proper Shipping Name | AEROSOLS |
|----------------------|----------|

14.3. Transport hazard class(es)

| | |
|---------------------|----------------|
| ADR/RID/ADN Class | Class 2: Gases |
| IMDG Class | 2 |
| ICAO Class/Division | 2 |

14.4. Packing group

Not applicable.

BAZOOKA SPOT REMOVER

14.5. Environmental hazards

Environmentally Hazardous Substance/Marine Pollutant

No.

14.6. Special precautions for user

Tunnel Restriction Code (D) Supplied in accordance with "Limited Quantity" provisions.

14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

Not applicable.

SECTION 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Uk Regulatory References

The Control of Substances Hazardous to Health Regulations 2002 (S.I 2002 No. 2677) with amendments. Chemicals (Hazard Information & Packaging) Regulations.

EU Legislation

Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, including amendments. Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006 with amendments.

15.2. Chemical Safety Assessment

No chemical safety assessment has been carried out.

SECTION 16: OTHER INFORMATION

General information

Telephone 020 8974 1515

Revision Comments

NOTE: Lines within the margin indicate significant changes from the previous revision.

| | |
|------------------------|----------------|
| Revision Date | 22/04/2014 |
| Revision | 3 |
| Supersedes date | 04/02/2014 |
| Signature | Aaron Saunders |

Risk Phrases In Full

| | |
|--------|--|
| R12 | Extremely flammable. |
| R10 | Flammable. |
| R65 | Harmful: may cause lung damage if swallowed. |
| R38 | Irritating to skin. |
| R43 | May cause sensitisation by skin contact. |
| R66 | Repeated exposure may cause skin dryness or cracking. |
| R51/53 | Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. |
| R50/53 | Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. |

Hazard Statements In Full

| | |
|--------|---|
| H315 | Causes skin irritation. |
| H222 | Extremely flammable aerosol. |
| H226 | Flammable liquid and vapour. |
| H304 | May be fatal if swallowed and enters airways. |
| H317 | May cause an allergic skin reaction. |
| EUH066 | Repeated exposure may cause skin dryness or cracking. |
| H411 | Toxic to aquatic life with long lasting effects. |
| H410 | Very toxic to aquatic life with long lasting effects. |
| H400 | Very toxic to aquatic life. |

BAZOOKA SPOT REMOVER

Disclaimer

For additional information on safety, training and use of this product, contact the supplier. This product is intended for professional use only. The information given is intended to be of assistance to users but is without guarantee. Variations can occur in application and users are advised to conduct their own tests. Suggestions for use neither give nor imply any guarantee as to the intended use.