

# FORMAT FPS FLOOR POLISH STRIPPER

CODE : B3510

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878  
Revision date: 06/11/2023 Version: 10.55

Generated : 06/11/2023

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product form : Mixture  
Trade name : FORMAT FPS FLOOR POLISH STRIPPER  
Product code : B3510  
Type of product : Detergent

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

##### 1.2.1. Relevant identified uses

Main use category : Professional use  
Industrial/Professional use spec : For professional use only  
Use of the substance/mixture : Floor cleaner / floor polish

##### 1.2.2. Uses advised against

No additional information available

#### 1.3. Details of the supplier of the safety data sheet

FOREMOST PRO LTD T/A FOREMOST  
UNIT 4 OLDLANDS WAY  
SOUTHERN CROSS INDUSTRIAL ESTATE  
BOGNOR REGIS  
WEST SUSSEX  
PO22 9SE  
UNITED KINGDOM

Tel: 01243 771 340 Fax: 01243 822 010 Email: tech@foremost-uk.com

#### 1.4. Emergency telephone number

Country	Organisation/Company	Address	Emergency number	Comment
Ireland	National Poisons Information Centre Beaumont Hospital	PO Box 1297 Beaumont Road 9 Dublin	+353 1 809 2566 (Healthcare professionals- 24/7) +353 1 809 2166 (public, 8am - 10pm, 7/7)	
United Kingdom	National Poisons Information Service (Birmingham Centre) City Hospital	Dudley Road B18 7QH Birmingham	0344 892 0111	Only for healthcare professionals

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

##### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Skin corrosion/irritation, Category 1, Sub-Category 1B H314  
Serious eye damage/eye irritation, Category 1 H318  
Full text of H- and EUH-statements: see section 16

##### Adverse physicochemical, human health and environmental effects

No additional information available

#### 2.2. Label elements

##### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :



Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

GHS05

- Signal word (CLP) : Danger
- Contains : disodium metasilicate, 2-aminoethanol; ethanolamine, sodium hydroxide; caustic soda
- Hazard statements (CLP) : H314 - Causes severe skin burns and eye damage.
- Precautionary statements (CLP) : P264 - Wash hands thoroughly after handling.  
 P280 - Wear eye protection.  
 P301+P330+P331 - IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.  
 P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.  
 P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
 P315 - Get immediate medical advice/attention.  
 P405 - Store locked up.

2.3. Other hazards

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
disodium metasilicate	CAS-No.: 6834-92-0 EC-No.: 229-912-9 EC Index-No.: 014-010-00-8 REACH-no: 01-2119449811-37	1 – 5	Skin Corr. 1B, H314 STOT SE 3, H335
tetrasodium ethylene diamine tetraacetate	CAS-No.: 64-02-8 EC-No.: 200-573-9 EC Index-No.: 607-428-00-2 REACH-no: 01-2119486762-27	1 – 5	Acute Tox. 4 (Oral), H302 Eye Dam. 1, H318
2-aminoethanol; ethanolamine substance with national workplace exposure limit(s) (IE, GB); substance with a Community workplace exposure limit	CAS-No.: 141-43-5 EC-No.: 205-483-3 EC Index-No.: 603-030-00-8 REACH-no: 01-2119486455-28	1 – 5	Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Dermal), H312 Acute Tox. 4 (Inhalation), H332 Acute Tox. 4 (Inhalation:vapour), H332 Skin Corr. 1B, H314
Sodium xylenesulphonate	CAS-No.: 1300-72-7 EC-No.: 215-090-9 REACH-no: 01-2119513350-56	1 – 5	Eye Irrit. 2, H319
sodium hydroxide; caustic soda substance with national workplace exposure limit(s) (IE, GB)	CAS-No.: 1310-73-2 EC-No.: 215-185-5 EC Index-No.: 011-002-00-6 REACH-no: 01-2119457892-27	1 – 5	Skin Corr. 1A, H314

**Safety Data Sheet**

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Specific concentration limits:		
Name	Product identifier	Specific concentration limits
2-aminoethanol; ethanolamine	CAS-No.: 141-43-5 EC-No.: 205-483-3 EC Index-No.: 603-030-00-8 REACH-no: 01-2119486455-28	( 5 ≤C ≤ 100) STOT SE 3, H335
sodium hydroxide; caustic soda	CAS-No.: 1310-73-2 EC-No.: 215-185-5 EC Index-No.: 011-002-00-6 REACH-no: 01-2119457892-27	( 0.5 ≤C < 2) Skin Irrit. 2, H315 ( 0.5 ≤C < 2) Eye Irrit. 2, H319 ( 2 ≤C < 5) Skin Corr. 1B, H314 ( 5 ≤C ≤ 100) Skin Corr. 1A, H314

Full text of H- and EUH-statements: see section 16

**SECTION 4: First aid measures**

**4.1. Description of first aid measures**

- First-aid measures general : Get medical advice/attention if you feel unwell.
- First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.
- First-aid measures after skin contact : Wash skin with plenty of water. Take off immediately all contaminated clothing and wash it before reuse. Get medical advice/attention.
- First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get immediate medical advice/attention.
- First-aid measures after ingestion : Do NOT induce vomiting. Rinse mouth. Drink plenty of water. Get medical advice/attention.

**4.2. Most important symptoms and effects, both acute and delayed**

- Symptoms/effects after inhalation : May cause respiratory irritation.
- Symptoms/effects after skin contact : Burns.
- Symptoms/effects after eye contact : Causes serious eye damage.
- Symptoms/effects after ingestion : Burns.

**4.3. Indication of any immediate medical attention and special treatment needed**

Treat symptomatically.

**SECTION 5: Firefighting measures**

**5.1. Extinguishing media**

- Suitable extinguishing media : Carbon dioxide. Dry powder. Foam.

**5.2. Special hazards arising from the substance or mixture**

- Hazardous decomposition products in case of fire : Corrosive vapours.

**5.3. Advice for firefighters**

No additional information available

**SECTION 6: Accidental release measures**

**6.1. Personal precautions, protective equipment and emergency procedures**

**6.1.1. For non-emergency personnel**

- Emergency procedures : Evacuate unnecessary personnel.

**6.1.2. For emergency responders**

- Protective equipment : Use personal protective equipment as required.

**Safety Data Sheet**

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

**6.2. Environmental precautions**

Avoid release to the environment.

**6.3. Methods and material for containment and cleaning up**

- For containment : Collect spillage.
- Methods for cleaning up : Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible.

**6.4. Reference to other sections**

For further information refer to section 8: "Exposure controls/personal protection". For further information refer to section 13.

**SECTION 7: Handling and storage**

**7.1. Precautions for safe handling**

- Precautions for safe handling : Avoid contact with skin and eyes.
- Hygiene measures : Do not eat, drink or smoke when using this product.

**7.2. Conditions for safe storage, including any incompatibilities**

- Technical measures : Does not require any specific or particular technical measures.
- Storage conditions : Keep container closed when not in use.
- Incompatible products : Oxidizing agent. Strong acids.
- Incompatible materials : Metals.
- Special rules on packaging : Keep only in original container.

**7.3. Specific end use(s)**

No additional information available

**SECTION 8: Exposure controls/personal protection**

**8.1. Control parameters**

**8.1.1 National occupational exposure and biological limit values**

<b>2-aminoethanol; ethanolamine (141-43-5)</b>	
<b>EU - Indicative Occupational Exposure Limit (IOEL)</b>	
Local name	2-Aminoethanol
IOEL TWA	2.5 mg/m <sup>3</sup>
IOEL TWA [ppm]	1 ppm
IOEL STEL	7.6 mg/m <sup>3</sup>
IOEL STEL [ppm]	3 ppm
Remark	Skin
Regulatory reference	COMMISSION DIRECTIVE 2006/15/EC
<b>Ireland - Occupational Exposure Limits</b>	
Local name	2-Aminoethanol [Ethanolamine]
OEL TWA [1]	2.5 mg/m <sup>3</sup>
OEL TWA [2]	1 ppm
OEL STEL	7.6 mg/m <sup>3</sup>
OEL STEL	3 ppm
Regulatory reference	Chemical Agents Code of Practice 2020

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

2-aminoethanol; ethanolamine (141-43-5)	
<b>United Kingdom - Occupational Exposure Limits</b>	
Local name	2-Aminoethanol
WEL TWA (OEL TWA) [1]	2.5 mg/m <sup>3</sup>
WEL TWA (OEL TWA) [2]	1 ppm
WEL STEL (OEL STEL)	7.6 mg/m <sup>3</sup>
WEL STEL (OEL STEL) [ppm]	3 ppm
Remark	Sk (Can be absorbed through the skin. The assigned substances are those for which there are concerns that dermal absorption will lead to systemic toxicity)
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE

sodium hydroxide; caustic soda (1310-73-2)	
<b>Ireland - Occupational Exposure Limits</b>	
Local name	Sodium hydroxide
OEL STEL	2 mg/m <sup>3</sup>
<b>United Kingdom - Occupational Exposure Limits</b>	
Local name	Sodium hydroxide
WEL STEL (OEL STEL)	2 mg/m <sup>3</sup>

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

No additional information available

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

No additional information available

8.2.2. Personal protection equipment

Personal protective equipment symbol(s):



8.2.2.1. Eye and face protection

Eye protection:

Safety glasses. ISO 16321-1

8.2.2.2. Skin protection

Skin and body protection:

Wear suitable protective clothing

Hand protection:

Chemical resistant gloves (according to European standard ISO 374-1 or equivalent). Nitrile rubber gloves

**Safety Data Sheet**

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

**Other skin protection**

**Materials for protective clothing:**

Safety boots. PICM008

**8.2.2.3. Respiratory protection**

**Respiratory protection:**

Not required for normal conditions of use

**8.2.2.4. Thermal hazards**

No additional information available

**8.2.3. Environmental exposure controls**

No additional information available

**SECTION 9: Physical and chemical properties**

**9.1. Information on basic physical and chemical properties**

Physical state	: Liquid
Colour	: red.
Appearance	: Liquid.
Odour	: odourless.
Odour threshold	: Not available
Melting point	: Not available
Freezing point	: Not available
Boiling point	: $\geq 100$ °C
Flammability	: Not available
Explosive limits	: Not available
Lower explosive limit (LEL)	: Not available
Upper explosive limit (UEL)	: Not available
Flash point	: Not available
Auto-ignition temperature	: Not available
Decomposition temperature	: Not available
pH	: 13.1
Viscosity, kinematic	: Not available
Solubility	: Soluble in water.
Partition coefficient n-octanol/water (Log Kow)	: Not available
Vapour pressure	: Not available
Vapour pressure at 50°C	: Not available
Density	: Not available
Relative density	: 1.08
Relative vapour density at 20°C	: Not available
Particle size	: Not applicable
Particle size distribution	: Not applicable
Particle shape	: Not applicable
Particle aspect ratio	: Not applicable
Particle aggregation state	: Not applicable
Particle agglomeration state	: Not applicable
Particle specific surface area	: Not applicable
Particle dustiness	: Not applicable

**9.2. Other information**

**9.2.1. Information with regard to physical hazard classes**

No additional information available

**9.2.2. Other safety characteristics**

No additional information available

**Safety Data Sheet**

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

**SECTION 10: Stability and reactivity**

**10.1. Reactivity**

The product is non-reactive under normal conditions of use, storage and transport.

**10.2. Chemical stability**

Stable under normal conditions.

**10.3. Possibility of hazardous reactions**

No dangerous reactions known under normal conditions of use.

**10.4. Conditions to avoid**

None under recommended storage and handling conditions (see section 7).

**10.5. Incompatible materials**

Metals. Acids.

**10.6. Hazardous decomposition products**

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

**SECTION 11: Toxicological information**

**11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008**

Acute toxicity (oral)	: Not classified
Acute toxicity (dermal)	: Not classified
Acute toxicity (inhalation)	: Not classified
Skin corrosion/irritation	: Causes severe skin burns. pH: 13.1
Serious eye damage/irritation	: Causes serious eye damage. pH: 13.1
Respiratory or skin sensitisation	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified

**disodium metasilicate**

STOT-single exposure	May cause respiratory irritation.
----------------------	-----------------------------------

STOT-repeated exposure	: Not classified
Aspiration hazard	: Not classified

**11.2. Information on other hazards**

No additional information available

**SECTION 12: Ecological information**

**12.1. Toxicity**

Hazardous to the aquatic environment, short-term (acute)	: Not classified
Hazardous to the aquatic environment, long-term (chronic)	: Not classified

**Sodium xylenesulphonate (1300-72-7)**

EC50 - Other aquatic organisms [1]	> 1020 mg/l waterflea
------------------------------------	-----------------------

**Safety Data Sheet**

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

**sodium hydroxide; caustic soda (1310-73-2)**

LC50 - Fish [1]	> 35 mg/l
EC50 - Other aquatic organisms [1]	> 33 mg/l waterflea

**12.2. Persistence and degradability**

No additional information available

**12.3. Bioaccumulative potential**

**Sodium xylenesulphonate (1300-72-7)**

Partition coefficient n-octanol/water (Log Pow)	-3.12
---	-------

**sodium hydroxide; caustic soda (1310-73-2)**

Partition coefficient n-octanol/water (Log Pow)	-3.88
---	-------

**12.4. Mobility in soil**

No additional information available

**12.5. Results of PBT and vPvB assessment**

No additional information available

**12.6. Endocrine disrupting properties**

No additional information available

**12.7. Other adverse effects**

No additional information available

**SECTION 13: Disposal considerations**

**13.1. Waste treatment methods**

No additional information available

**SECTION 14: Transport information**

In accordance with ADR / IMDG / IATA

**14.1. UN number or ID number**

UN-No. (ADR)	: UN 1760
UN-No. (IMDG)	: UN 1760
UN-No. (IATA)	: UN 1760

**14.2. UN proper shipping name**

Proper Shipping Name (ADR)	: CORROSIVE LIQUID, N.O.S.
Proper Shipping Name (IMDG)	: CORROSIVE LIQUID, N.O.S.
Proper Shipping Name (IATA)	: Corrosive liquid, n.o.s.
Transport document description (ADR)	: UN 1760 CORROSIVE LIQUID, N.O.S. (SODIUM HYDROXIDE, SODIUM METASILICATE), 8, III, (E)
Transport document description (IMDG)	: UN 1760 CORROSIVE LIQUID, N.O.S. (SODIUM HYDROXIDE, SODIUM METASILICATE), 8, III
Transport document description (IATA)	: UN 1760 Corrosive liquid, n.o.s., 8, III



Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

**14.3. Transport hazard class(es)**

**ADR**

Transport hazard class(es) (ADR) : 8  
 Danger labels (ADR) : 8



**IMDG**

Transport hazard class(es) (IMDG) : 8  
 Danger labels (IMDG) : 8



**IATA**

Transport hazard class(es) (IATA) : 8  
 Danger labels (IATA) : 8



**14.4. Packing group**

Packing group (ADR) : III  
 Packing group (IMDG) : III  
 Packing group (IATA) : III


**14.5. Environmental hazards**

Dangerous for the environment : No  
 Marine pollutant : No  
 Other information : No supplementary information available

**14.6. Special precautions for user**

**Overland transport**

Classification code (ADR) : C9  
 Special provisions (ADR) : 274  
 Limited quantities (ADR) : 5I  
 Excepted quantities (ADR) : E1  
 Packing instructions (ADR) : P001, IBC03, LP01, R001  
 Mixed packing provisions (ADR) : MP19  
 Portable tank and bulk container instructions (ADR) : T7  
 Portable tank and bulk container special provisions (ADR) : TP1, TP28  
 Tank code (ADR) : L4BN  
 Vehicle for tank carriage : AT  
 Transport category (ADR) : 3  
 Special provisions for carriage - Packages (ADR) : V12  
 Hazard identification number (Kemler No.) : 80  
 Orange plates :



Tunnel restriction code (ADR) : E  
 EAC code : 2X

**Safety Data Sheet**

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

APP code : B

**Transport by sea**

Special provisions (IMDG) : 223, 274  
 Limited quantities (IMDG) : 5 L  
 Excepted quantities (IMDG) : E1  
 Packing instructions (IMDG) : P001, LP01  
 IBC packing instructions (IMDG) : IBC03  
 Tank instructions (IMDG) : T7  
 Tank special provisions (IMDG) : TP1, TP28  
 EmS-No. (Fire) : F-A  
 EmS-No. (Spillage) : S-B  
 Stowage category (IMDG) : A

**Air transport**

PCA Excepted quantities (IATA) : E1  
 PCA Limited quantities (IATA) : Y841  
 PCA limited quantity max net quantity (IATA) : 1L  
 PCA packing instructions (IATA) : 852  
 PCA max net quantity (IATA) : 5L  
 CAO packing instructions (IATA) : 856  
 CAO max net quantity (IATA) : 60L  
 Special provisions (IATA) : A3  
 ERG code (IATA) : 8L

**14.7. Maritime transport in bulk according to IMO instruments**

IBC code : Not applicable.

**SECTION 15: Regulatory information**

**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

**15.1.1. EU-Regulations**

Contains no substance(s) listed on REACH Annex XVII (Restriction Conditions)  
 Contains no substance(s) listed on the REACH Candidate List  
 Contains no substance(s) listed on REACH Annex XIV (Authorisation List)  
 Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)  
 Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)  
 Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

<b>Detergent Regulation (648/2004/EC): Labelling of contents:</b>	
Component	%
EDTA and salts thereof, anionic surfactants, non-ionic surfactants	<5%

**15.1.2. National regulations**

**United Kingdom**

British National Regulations : Commission Regulation (EU) 2015/830 of 28 May 2015 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH).  
 Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008.

**15.2. Chemical safety assessment**

No additional information available

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

**SECTION 16: Other information**

Full text of H- and EUH-statements:	
Acute Tox. 4 (Dermal)	Acute toxicity (dermal), Category 4
Acute Tox. 4 (Inhalation)	Acute toxicity (inhal.), Category 4
Acute Tox. 4 (Inhalation:vapour)	Acute toxicity (inhalation:vapour) Category 4
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
H302	Harmful if swallowed.
H312	Harmful in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H335	May cause respiratory irritation.
Skin Corr. 1A	Skin corrosion/irritation, Category 1, Sub-Category 1A
Skin Corr. 1B	Skin corrosion/irritation, Category 1, Sub-Category 1B
Skin Irrit. 2	Skin corrosion/irritation, Category 2
STOT SE 3	Specific target organ toxicity – Single exposure, Category 3, Respiratory tract irritation

**Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:**

Skin Corr. 1B	H314	Calculation method
Eye Dam. 1	H318	Calculation method

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.