

Safety Data Sheet

according to Regulation (EC) No. 453/2010

Date of issue: 09/10/2014 Revision date: : Version: 1.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture

Trade name : FAIRY Professional Original

Product code : PA00192271
Product group : Trade product

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Main use category : Professional use

Function or use category : Washing and cleaning products (including solvent based products)

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Procter & Gamble UK Brooklands, Weybridge, Surrey, KT13 0XP, UK

Tel: 01932 896000 Fax: 01932 896200

Retail /Professional: sds.im@pg.com

1.4. Emergency telephone number

Emergency number : (UK) Emergency Tel: 0800 328 8304

(IRL) Emergency Tel: 1800 509 497

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Eye Irrit. 2 H319 Aquatic Chronic 3 H412

Full text of H-phrases: see section 16

Classification according to Directive 67/548/EEC [DSD] or 1999/45/EC [DPD]

Xi; R36

Full text of R-phrases: see section 16

Adverse physicochemical, human health and environmental effects

No additional information available

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



Signal word (CLP) : Warning

Hazard statements (CLP) : H319 - Causes serious eye irritation

H412 - Harmful to aquatic life with long lasting effects

Precautionary statements (CLP) : P102 - Keep out of reach of children

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P337+P313 - If eye irritation persists: Get medical advice/attention
P501 - Dispose of contents/container to an appropriate local waste system

2.3. Other hazards

Other hazards not contributing to the : No presence of PBT and vPvB ingredients.

classification

SECTION 3: Composition/information on ingredients

3.1. Substance

Not applicable

21/10/2014 EN (English) 1/9

Safety Data Sheet

according to Regulation (EC) No. 453/2010

3.2. Mixture

Name	Product identifier	%	Classification according to Directive 67/548/EEC	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Sodium C12-14 Alkyl Sulfate	(CAS No) 85586-07-8 (EC no) 287-809-4 (REACH-no) 01-2119489463-28	5 - 10	Xn; R22 Xi; R41 Xi; R38	Acute Tox. 4 (Oral), H302 Skin Irrit. 2, H315 Eye Dam. 1, H318 Aquatic Chronic 3, H412
Lauramine Oxide	(CAS No) 308062-28-4 (EC no) 931-292-6 (REACH-no) 01-2119490061-47	5 - 10	Xn; R22 Xi; R41 Xi; R38 N; R50	Acute Tox. 4 (Oral), H302 Skin Irrit. 2, H315 Eye Dam. 1, H318 Aquatic Acute 1, H400 Aquatic Chronic 2, H411
Sodium Laureth Sulfate	(CAS No) 161074-79-9 (EC no) 500-513-4 (REACH-no) 01-2119513369-37	5 - 10	Xi; R41 Xi; R38	Skin Irrit. 2, H315 Eye Dam. 1, H318 Aquatic Chronic 3, H412
Sodium Lauryl Sulphate	(CAS No) 1231880-35-5 (REACH-no) 01-2119582870-31	5 - 10	Xn; R22 Xi; R41 Xi; R38	Acute Tox. 4 (Oral), H302 Skin Irrit. 2, H315 Eye Dam. 1, H318 Aquatic Chronic 3, H412
Sodium C12-14 Pareth-3 Sulfate	(CAS No) 68891-38-3 (EC no) Polymer	1 - 5	Xi; R41 Xi; R38	Skin Irrit. 2, H315 Eye Dam. 1, H318 Aquatic Chronic 3, H412

Full text of R- and H-phrases: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures after inhalation : IF INHALED: remove victim to fresh air and keep at rest in a position comfortable for breathing.

Call a POISON CENTER/doctor/physician if you feel unwell.

First-aid measures after skin contact : IF ON SKIN: Wash with plenty of soap and water. Take off contaminated clothing and wash before reuse. If skin irritation occurs: Get medical advice/attention. Discontinue use of product.

First-aid measures after eye contact : IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician.

First-aid measures after ingestion

IF SWALLOWED: rinse mouth. Do NOT induce vomiting. Immediately call a POISON CENTER

or doctor/physician.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/injuries after inhalation : Coughing. sneezing.

Symptoms/injuries after skin contact : Redness. Swelling. dryness. Itching.

Symptoms/injuries after eye contact : Severe pain. Redness. Swelling. Blurred vision.

Symptoms/injuries after ingestion : Oral mucosal or gastro-intestinal irritation. Nausea. Vomiting. Excessive secretion. Diarrhea.

4.3. Indication of any immediate medical attention and special treatment needed

Refer to section 4.1.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Dry chemical powder, alcohol-resistant foam, carbon dioxide (CO2).

5.2. Special hazards arising from the substance or mixture

Fire hazard : No fire hazard. Non combustible.

Explosion hazard : Product is not explosive.

Reactivity : No dangerous reactions known.

5.3. Advice for firefighters

Firefighting instructions : No specific firefighting instructions required.

Protection during firefighting : In case of inadequate ventilation wear respiratory protection.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Protective equipment : Wear suitable gloves and eye/face protection.

6.1.2. For emergency responders

Protective equipment : Wear suitable gloves and eye/face protection.

6.2. Environmental precautions

Consumer products ending up down the drain after use. Prevent soil and water pollution. Prevent spreading in sewers.

21/10/2014 EN (English) 2/9

Safety Data Sheet

according to Regulation (EC) No. 453/2010

6.3. Methods and material for containment and cleaning up

For containment : Scoop absorbed substance into closing containers.

Methods for cleaning up : Small quantities of liquid spill: take up in non-combustible absorbent material and shovel into

container for disposal. Large spills: contain released substance, pump into suitable containers. This material and its container must be disposed of in a safe way, and as per local legislation.

6.4. Reference to other sections

Refer to Sections 8 and 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Avoid contact with eyes. Use personal protective equipment as required. Do not eat, drink or

smoke when using this product. Do not handle until all safety precautions have been read and

understood.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in original container. Refer to section 10.

Incompatible products : Refer to section 10.
Incompatible materials : Not applicable.
Prohibitions on mixed storage : Not applicable.

Storage area : Store in a cool area. Store in a dry area.

7.3. Specific end use(s)

Refer to section 1.2.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1. National limit values

No additional information available

8.1.2. Monitoring procedures: DNELS, PNECS, OEL

Lauramine Oxide (308062-28-4)	
DNEL/DMEL (Workers)	
Long-term - systemic effects, dermal	11 mg/kg bodyweight/day
Long-term - systemic effects, inhalation	15.5 mg/m³
DNEL/DMEL (General population)	
Long-term - systemic effects,oral	0.44 mg/kg bodyweight/day
Long-term - systemic effects, inhalation	3.825 mg/m³
Long-term - systemic effects, dermal	5.5 mg/kg bodyweight/day
PNEC (Water)	
PNEC aqua (freshwater)	0.0335 mg/l
PNEC aqua (marine water)	0.0335 mg/l
PNEC aqua (intermittent, freshwater)	0.0335 mg/l
PNEC (Sediment)	
PNEC sediment (freshwater)	5.24 mg/kg dwt
PNEC sediment (marine water)	0.524 mg/kg dwt
PNEC (Soil)	
PNEC soil	1.02 mg/kg dwt
PNEC (STP)	
PNEC sewage treatment plant	24 mg/l

Sodium C12-14 Alkyl Sulfate (85586-07-8)	C12-14 Alkyl Sulfate (85586-07-8)	
DNEL/DMEL (Workers)		
Long-term - systemic effects, dermal	4060 mg/kg bodyweight/day	
Long-term - systemic effects, inhalation	285 mg/m³	
DNEL/DMEL (General population)		
Long-term - systemic effects,oral	24 mg/kg bodyweight/day	
Long-term - systemic effects, inhalation	85 mg/m³	
Long-term - systemic effects, dermal	2440 mg/kg bodyweight/day	
PNEC (Water)		
PNEC aqua (freshwater)	0.102 mg/l	
PNEC aqua (marine water)	0.01 mg/l	

21/10/2014 EN (English) 3/9

Safety Data Sheet

according to Regulation (EC) No. 453/2010

Sodium C12-14 Alkyl Sulfate (85586-07-8)	
PNEC aqua (intermittent, freshwater)	0.036 mg/l
PNEC (Sediment)	
PNEC sediment (freshwater)	3.58 mg/kg dwt
PNEC sediment (marine water)	0.358 mg/kg dwt
PNEC (Soil)	
PNEC soil	0.654 mg/kg dwt
PNEC (STP)	
PNEC sewage treatment plant	1084 mg/l

Sodium Laureth Sulfate (161074-79-9)	
DNEL/DMEL (Workers)	
Long-term - systemic effects, dermal	2750 mg/kg bodyweight/day
Long-term - systemic effects, inhalation	175 mg/m³
DNEL/DMEL (General population)	
Long-term - systemic effects,oral	15 mg/kg bodyweight/day
Long-term - systemic effects, inhalation	52 mg/m³
Long-term - systemic effects, dermal	1650 mg/kg bodyweight/day
PNEC (Water)	
PNEC aqua (freshwater)	0.13 mg/l
PNEC aqua (marine water)	0.013 mg/l
PNEC aqua (intermittent, freshwater)	0.071 mg/l
PNEC (Sediment)	
PNEC sediment (freshwater)	2.03 mg/kg dwt
PNEC sediment (marine water)	0.203 mg/kg dwt
PNEC (Soil)	
PNEC soil	0.328 mg/kg dwt
PNEC (STP)	
PNEC sewage treatment plant	10000 mg/l

Codium Lourd Culphoto (4004000 25 5)		
Sodium Lauryl Sulphate (1231880-35-5)		
DNEL/DMEL (Workers)		
Long-term - systemic effects, dermal	4060 mg/kg bodyweight/day	
Long-term - systemic effects, inhalation	285 mg/m³	
DNEL/DMEL (General population)		
Acute - local effects, inhalation	>= mg/m³	
Long-term - systemic effects,oral	24 mg/kg bodyweight/day	
Long-term - systemic effects, inhalation	85 mg/m³	
Long-term - systemic effects, dermal	2440 mg/kg bodyweight/day	
PNEC (Water)		
PNEC aqua (freshwater)	0.0782 mg/l	
PNEC aqua (marine water)	0.00782 mg/l	
PNEC aqua (intermittent, freshwater)	0.036 mg/l	
PNEC (Sediment)		
PNEC sediment (freshwater)	4.52 mg/kg dwt	
PNEC sediment (marine water)	0.452 mg/kg dwt	
PNEC (Soil)		
PNEC soil	0.86 mg/kg dwt	
PNEC (STP)		
PNEC sewage treatment plant	1084 mg/l	

8.2. Exposure controls

8.2.1. Appropriate engineering controls : Not applicable.

8.2.2. Personal protective equipment

Protective personal equipment only required in case of professional use or for large packs (not for household packs). For consumer use please follow recommendation as indicated on the label of the product.

Hand protection : Not applicable.

Eye protection : Wear eye/face protection.

Skin and body protection : Not applicable.

Respiratory protection : Not applicable.

21/10/2014 EN (English) 4/9

Safety Data Sheet

according to Regulation (EC) No. 453/2010

8.2.3. Environmental exposure controls

Not available

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Property	Value	Unit	Test Method/Notes
Appearance	Liquid.		
Physical state	Liquid		
Colour	Coloured.		
Odour	pleasant (perfume).		
Odour threshold	No data available		
рH	9		
Melting point	No data available		
Freezing point	No data available		
Boiling point	No data available		
Flash point	95 - 100	°C	
Relative evaporation rate (butylacetate=1)	No data available		
Flammability (solid, gas)	No data available		
Explosive limits	No data available		
Vapour pressure	No data available		
Relative density	No data available		
Solubility	Soluble in water.		
Log Pow	No data available		
Auto-ignition temperature	No data available		
Decomposition temperature	No data available		
Viscosity	1000	cР	
Explosive properties	No additional information available		
Oxidising properties	No additional information available		

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

No dangerous reactions known.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

Refer to section 10.1 on Reactivity.

10.4. Conditions to avoid

Not required for normal conditions of use.

10.5. Incompatible materials

Not applicable.

10.6. Hazardous decomposition products

None under normal use.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : Not classified

FAIRY Professional Original	
LD50 oral calculated	> 2000 mg/kg

21/10/2014 EN (English) 5/9

Safety Data Sheet according to Regulation (EC) No. 453/2010

Lauramine Oxide (308062-28-4)	
LD50 oral rat	1064 mg/kg OECD 401
LD50 dermal rat	> 2000 mg/kg OECD 402
ATE CLP (oral)	1064 mg/kg bodyweight
Sodium C12-14 Alkyl Sulfate (85586-07-8)	
LD50 oral rat	2000 mg/kg
LD50 dermal rabbit	> 500 mg/kg
ATE CLP (oral)	2000 mg/kg bodyweight
Sodium C12-14 Pareth-3 Sulfate (68891-38-3)	
LD50 oral rat	4100 mg/kg
LD50 dermal rat	2001 mg/kg
ATE CLP (oral)	4100 mg/kg bodyweight
ATE CLP (dermal)	2001 mg/kg bodyweight
Sodium Laureth Sulfate (161074-79-9)	
LD50 oral rat	3900 mg/kg OECD 401
LD50 dermal rabbit	> 2000 mg/kg
ATE CLP (oral)	3900 mg/kg bodyweight
Sodium Lauryl Sulphate (1231880-35-5)	
LD50 oral rat	1063 mg/kg
LD50 dermal rat	> 500 mg/kg bodyweight
ATE CLP (oral)	1063 mg/kg bodyweight
Skin corrosion/irritation	: Not classified
	pH: 9
Serious eye damage/irritation	: Causes serious eye irritation.
	pH: 9
Respiratory or skin sensitisation	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
Specific target organ toxicity (single exposure)	: Not classified
Specific target organ toxicity (repeated exposure)	: Not classified
Aspiration hazard	: Not classified
Potential Adverse human health effects and symptoms	: Acute Toxicity: based upon available data of the substances, classification criteria are not met Carcinogenicity: based upon available data of the substances, classification criteria are not met Corrosivity: based upon available data of the substances, classification criteria are not met. Irritation: severly irritant to eyes. Mutagenicity: based upon available data of the substances, classification criteria are not met. Repeated Dose Toxicity: based upon available data of the substances, classification criteria are not met. Sensitization: based upon available data of the substances, classification criteria are not met. Toxicity for Reproduction: based upon available data of the substances, classification criteria are not met.
Other information	: Likely routes of exposure: skin and eye. Information on Effects: refer to section 4.
SECTION 12: Ecological information	<u> </u>

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general

: No known adverse effects on the functioning of water treatment plants under normal use conditions as recommended. Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Lauramine Oxide (308062-28-4)	
LC50 fishes 1	2.67 mg/l Pimephales promelas; pH 7.9
LC50 other aquatic organisms 1	188.7 mg/l Pseudomonas putida
EC50 Daphnia 1	3.1 mg/l OECD 202; Daphnia magna
ErC50 (algae)	0.205 mg/l Pseudokirchnerella subcapitata
NOEC chronic fish	0.42 mg/l Pimephales promelas
NOEC chronic crustacea	0.7 mg/l Daphnia magna
Codium C40 44 Allud Culfota (OFFOC 07 0)	

Sodium C12-14 Alkyl Sulfate (85586-07-8)		
	LC50 fishes 1	3.6 mg/l OECD 203; Oncorhynchus mykiss
	EC50 Daphnia 1	4.7 mg/l Daphnia magna

21/10/2014 EN (English)

Safety Data Sheet according to Regulation (EC) No. 453/2010

Sodium C12-14 Alkyl Sulfate (85586-07-8)		
EC50 other aquatic organisms 1	1083.85 mg/l EC10; Pseudomonas	
ErC50 (algae)	> 20 mg/l Desmodesmus subspicatus	
NOEC chronic fish	0.371 mg/l Pimephales promelas	
NOEC chronic crustacea	0.88 mg/l Ceriodaphnia dubia	
NOEC chronic algae	0.6 mg/l Desmodesmus subspicatus	
Sodium Laureth Sulfate (161074-79-9)		
LC50 fishes 1	7.1 mg/l OECD 203; Danio rerio	
EC50 Daphnia 1	7.4 mg/l OECD 202; Daphnia magna	
EC50 other aquatic organisms 1	> 10 g/l Pseudomonas putida	
ErC50 (algae)	27.7 mg/l OECD 201; Desmodesmus subspicatus	
NOEC chronic fish	1 mg/l OECD 203; Pimephales promelas	
NOEC chronic crustacea	0.27 mg/l Daphnia magna	
NOEC chronic algae	0.95 mg/l OECD 201; Desmodesmus subspicatus	
Sodium Lauryl Sulphate (1231880-35-5)		
LC50 fishes 1	3.6 mg/l OECD 203; Oncorhynchus mykiss	
LC50 other aquatic organisms 1	1083.85 mg/l EC10; Pseudomonas putida	
EC50 Daphnia 1	4.7 mg/l Daphnia magna	
ErC50 (algae)	20 mg/l Desmodesmus subspicatus	
NOEC chronic fish	0.11 mg/l Pimephales promelas	
NOEC chronic crustacea	0.14 mg/l OECD 202.2; Daphnia magna	
NOEC chronic algae	0.6 mg/l Desmodesmus subspicatus	
12.2. Persistence and degradability		
Lauramine Oxide (308062-28-4)		
Persistence and degradability	The substance is biodegradable. Unlikely to persist.	
Biodegradation	90 % OECD 301 B	
-	30 /0 CLOD 30 1 D	
Sodium C12-14 Alkyl Sulfate (85586-07-8)		
Persistence and degradability	The substance is biodegradable. Unlikely to persist.	
Biodegradation	75.7 % Ceriodaphnia dubia	
Sodium Laureth Sulfate (161074-79-9)		
BOD (% of ThOD)	65 % ThOD OECD 306	
Sodium Lauryl Sulphate (1231880-35-5)		
BOD (% of ThOD)	95.3 % ThOD OECD 202.2; Daphnia magna	
12.3. Bioaccumulative potential		
12.3. Bioaccumulative potential		
Lauramine Oxide (308062-28-4)		
Log Pow	< 2.7	
Bioaccumulative potential	Not expected to bioaccumulate due to the low log Kow (log Kow < 4).	
Sodium C12-14 Alkyl Sulfate (85586-07-8)		
Bioconcentration factor (BCF REACH)	5.3	
Log Pow	< -2.42	
Bioaccumulative potential	Not expected to bioaccumulate due to the low log Kow (log Kow < 4).	
Sodium Laureth Sulfate (161074-79-9)		
Log Pow	1.5	
Log Kow	<= 3	
Sodium Lauryl Sulphate (1231880-35-5)		
Log Pow	1.69 - 1.9	
Log Kow	<= 3	
Bioaccumulative potential	Not expected to bioaccumulate due to the low log Kow (log Kow < 4).	
12.4. Mobility in soil		
Lauramine Oxide (308062-28-4)		
Mobility in soil	307 OECD 106; 23.6 C	
Sodium C12-14 Alkyl Sulfate (85586-07-8)		
Mobility in soil 316		
21/10/2014	EN (English) 7/9	
L1/10/2017	Try (English)	

Safety Data Sheet

according to Regulation (EC) No. 453/2010

Sodium Lauryl Sulphate (1231880-35-5)	
Mobility in soil	608 - 642 25 C

12.5. Results of PBT and vPvB assessment

FAIRY Professional Original		
Results of PBT assessment	No presence of PBT and vPvB ingredients	
Component		
Alcohol (64-17-5)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII	
Sodium Hydroxide (1310-73-2)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII	
Lauramine Oxide (308062-28-4)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII	
Sodium C12-14 Alkyl Sulfate (85586-07-8)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII	
Sodium Laureth Sulfate (161074-79-9)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII	
Sodium Lauryl Sulphate (1231880-35-5)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII	

12.6. Other adverse effects

Other information : No other effects known.

SECTION 13: Disposal considerations			
13.1.	Waste treatment methods		
13.1.1.	Regional legislation (waste)	: Disposal must be done according to official regulations.	
13.1.2	Disposal recommendations	: The waste codes/waste designations below are in accordance with EWC. Waste must be delivered to an approved waste disposal company. The waste is to be kept separate from other types of waste until its disposal. Do not throw waste product into the sewer. Where possible recycling is preferred to disposal or incineration. For handling waste, see measures described in section 7. Empty, uncleaned packaging need the same disposal considerations as filled packaging.	
13.1.3	EURAL Waste code product	: 20 01 29* - detergents containing dangerous substances 15 01 10* - packaging containing residues of or contaminated by dangerous substances	

SECTION 14: Transport information

14.1.	UN	num	ber
19.1.	OIA	Hulli	nei

Not applicable

UN proper shipping name

Not applicable

Transport hazard class(es) 14.3.

Not applicable

14.4. **Packing group**

Not applicable

Environmental hazards 14.5.

Not applicable

14.6. Special precautions for user

Not applicable

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15: Regulatory information

Ingredient label 15-30% Anionic surfactants; 5-15% Non-ionic surfactants; Methylisothiazolinone, Phenoxyethanol, Perfumes.

Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. **EU-Regulations**

No REACH Annex XVII restrictions

Contains no substance on the REACH candidate list

21/10/2014 EN (English) 8/9

Safety Data Sheet

according to Regulation (EC) No. 453/2010

CESIO recommendations

: The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

16.1. Indication of changes

Indication of changes : Not applicable

16.2. Abbreviations and acronyms

No additional information available

16.3. Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]

Classification according to Regulation (EC) No. 1272/2008 [CLP]	Classification procedure
Eye Irrit. 2	On basis of test data
Aquatic Chronic 3	Calculation method

16.4. Relevant R-phrases and/or H-statements (number and full text) for mixture and substances

-	
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Acute 1	Hazardous to the aquatic environment — AcuteHazard, Category 1
Aquatic Chronic 2	Hazardous to the aquatic environment — Chronic Hazard, Category 2
Aquatic Chronic 3	Hazardous to the aquatic environment — Chronic Hazard, Category 3
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Skin Irrit. 2	Skin corrosion/irritation, Category 2
H302	Harmful if swallowed
H315	Causes skin irritation
H318	Causes serious eye damage
H319	Causes serious eye irritation
H400	Very toxic to aquatic life
H411	Toxic to aquatic life with long lasting effects
H412	Harmful to aquatic life with long lasting effects
R22	Harmful if swallowed
R36	Irritating to eyes
R38	Irritating to skin
R41	Risk of serious damage to eyes
R50	Very toxic to aquatic organisms
N	Dangerous for the environment
Xi	Irritant
Xn	Harmful

16.5. Training advice

Normal use of this product shall imply use in accordance with the instructions on the packaging.

16.6. Further information

Salts listed in Section 3 without a REACh Registration number are exempt, based on Annex V

SDS P&G CLP

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product

21/10/2014 EN (English) 9/9