

**SAFETY DATA SHEET**

This Safety Data Sheet is provided in compliance with the EC Regulations 1907/2006, 1272/2008, 2015/830 and 2020/878

**SECTION 1: Identification of the substance/mixture and of the company/undertaking**

**1.1 Product identifier**

- Product Name: Mini Lavender Scent
- Product Part Number: 106792
- UFI: N140-P031-X002-G4AW

**1.2 Relevant identified uses of the substance or mixture and uses advised against**

- Use of the substance/mixture: Fragranced metered aerosol space sprays designed for use in proprietary automated dispensers.

**1.3 Details of the supplier of the safety data sheet**

- Name of Supplier: Hygiene Vision Europe Ltd.
- Address of Supplier: Stuart House,  
St Johns Street,  
Peterborough,  
PE1 5DD  
United Kingdom
- Telephone: +44 (0)7973 840666
- Responsible Person: Technical Manager
- Email: Info@hygienevision-europe.com
- 
- Name of Supplier (EU): Hygiene Vision Europe B.V.
- Address of Supplier (EU): Rokin Business Center,  
Rokin 92-29,  
1012 KZ Amsterdam,  
The Netherlands
- Email: Technical.manager-eu@hygienevision-europe.com

**1.4 Emergency telephone number**

- Emergency Telephone: +44 (0) 7713 821547

**SECTION 2: Hazards identification**

**2.1 Classification of the substance or mixture**

- CLP: Skin Sens. 1, Flam. Aerosol 1, Eye Irrit. 2, Aquatic Chronic 3

**2.2 Label elements**



- Signal Word: Danger

**Hazard statements**

**SECTION 2: Hazards identification (....)**

Extremely flammable aerosol.  
 Pressurised container: May burst if heated.  
 Causes serious eye irritation.  
 May cause an allergic skin reaction.  
 Harmful to aquatic life with long lasting effects.

**Precautionary statements**

Keep out of reach of children.  
 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
 Do not spray on an open flame or other ignition source.  
 Do not pierce or burn, even after use.  
 Do not breathe spray/mists  
 Protect from sunlight. Do not expose to temperatures exceeding 50°C/ 122°F.  
 Use in ventilated areas.  
 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
 If eye irritation persists: Get medical advice/attention.  
 IF ON SKIN: Wash with plenty of soap and water.

**2.3 Other hazards**

- Unlikely to occur when used as directed.
- Contains: Linalool, Tetramethyl Acetyloctahydronaphthalenes, Eucalyptol, 3,4,5,6,6-pentamethylhept-3-en-2-one.

**SECTION 3: Composition/information on ingredients****3.2 Mixtures**

Chemical Name	CAS Number	EC Number	Concentration	Specific Concentration Limits	M factor	Acute toxicity estimate
Petroleum Gases, Liquefied	68476-85-7	270-704-2	60 - 65%	None assigned		
Ethanol; Ethyl Alcohol	64-17-5	200-578-6	10 - 15%	None assigned		
Propan-2-ol; Isopropyl Alcohol; Isopropanol	67-63-0	200-661-7	5 - 10%			
Linalool	78-70-6	201-134-4	1 - 5%			
2,6-Dimethyloct-7-en-2-ol	18479-58-8	242-362-4	1.216%			
Tetramethylacetyloctahydronaphthalenes	54464-57-2	259-174-3	< 1%			
Camphor	76-22-2	200-945-0	< 1%			
Eucalyptol	470-82-6	207-431-5	< 1%			
3,4,5,6,6-Pentamethylhept-3-en-2-one (and Isomers)	86115-11-9	289-194-8	< 1%			

Chemical Name	Categories	H Statements	REACH Registration Number
Petroleum Gases, Liquefied	Flam. Gas 2 Press. Gas	H220, H280	
Ethanol; Ethyl Alcohol	Flam. Liq. 2 Eye Irrit. 2	H225, H319	
Propan-2-ol; Isopropyl Alcohol; Isopropanol	Eye Irrit. 2 STOT SE 3 Flam. Liq. 2	H225, H319, H336	
Linalool	Skin Irrit. 2, Eye Irrit. 2, Skin Sens. 1B	H315 H317 H319	
2,6-Dimethyloct-7-en-2-ol	Skin Irrit. 2, Eye Irrit. 2	H315; H317	01-2119457274-37
Tetramethylacetyloctahydronaphthalenes	Skin Irrit. 2, Skin Sens. 1B, Aquatic Chronic 1	H315 H317 H410	01-2119489989-04
Camphor	Flam. Sol. 2, Acute Tox. 4, Acute Tox. 4, STOT SE 2	H228 H302 H332 H371	
Eucalyptol	Flam. Liq. 3, Skin Sens. 1B	H226; H317	
3,4,5,6,6-Pentamethylhept-3-en-2-one (and Isomers)	Skin Sens. 1B, Aquatic Chronic 2	H317; H411	01-21199880043-42

## SECTION 4: First aid measures

### 4.1 Description of first aid measures

- Wash contaminated clothing before reuse.

#### Contact with eyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

If eye irritation persists: Get medical advice/attention.

#### Contact with skin

IF ON SKIN: Wash with plenty of soap and water.

If skin irritation occurs: Get medical advice/attention.

#### Ingestion

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

Never give anything by mouth to an unconscious person

Never make an unconscious person vomit or drink fluids

If you feel unwell, seek medical advice (show the label where possible)

#### Inhalation

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

If you feel unwell, seek medical advice (show the label where possible)

Vapours or aerosols may cause irritation of eyes, nose and respiratory tract

### 4.2 Most important symptoms and effects, both acute and delayed

- No hazard expected under normal conditions of use

### 4.3 Indication of any immediate medical attention and special treatment needed

- Unlikely to occur when used as directed.
- 

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

- Do not use water jets
- In case of fire use water spray or fog, alcohol resistant foam, dry chemical or carbon dioxide

### 5.2 Special hazards arising from the substance or mixture

- Pressurized aerosol container
- Decomposition products may include carbon oxides
- Smoke from fires is irritating. Take precautions to protect personnel from exposure
- May give off noxious and toxic fumes in a fire
- In the event of an adjacent fire, cool containers with water spray
- Inform Fire Brigade of potential danger of exploding and rocketing cylinders

### 5.3 Advice for firefighters

- Decomposition products may include carbon oxides
- Smoke from fires is irritating. Take precautions to protect personnel from exposure
- May give off noxious and toxic fumes in a fire
- In poorly ventilated areas or confined spaces, use an airline respirator or self-contained breathing apparatus
- Inform Fire Brigade of potential danger of exploding and rocketing cylinders
- Keep container(s) exposed to fire cool, by spraying with water

**SECTION 5: Firefighting measures (....)**

- Wear suitable protective clothing
  - Wear suitable respiratory equipment
- 

**SECTION 6: Accidental release measures****6.1 Personal precautions, protective equipment and emergency procedures**

- Evacuate the area
- Ensure adequate ventilation
- Avoid contact with skin and eyes
- Do not breathe spray/mists
- Use personal protective equipment as required.
- Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
- Wear protective clothing as per section 8

**6.2 Environmental precautions**

- Avoid release to the environment.
- Small releases should not pose any hazard to the local environment.
- Do not allow to enter public sewers and watercourses
- If contamination of drainage systems or water courses is unavoidable, immediately inform appropriate authorities

**6.3 Methods and material for containment and cleaning up**

- Ensure adequate ventilation. Absorb liquid components with liquid binding material (sand, diatomite, acid binders, universal binders, sawdust).
- Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
- Absorb spillage in inert material and shovel up
- Place in appropriate container
- Ventilate area

**6.4 Reference to other sections**

- See Section 8
- 

**SECTION 7: Handling and storage****7.1 Precautions for safe handling**

- Apply according to good manufacturing and industrial hygiene practices with proper ventilation. Do not drink, eat or smoke while handling. Respect good personal hygiene.
- Avoid contact with eyes
- Do not breathe spray/mists
- Ensure adequate ventilation
- Use in ventilated areas.
- Do not spray on naked flame or any incandescent material
- Do not spray on an open flame or other ignition source.
- Wear suitable protective clothing
- Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
- Avoid release to the environment.
- Wash contaminated clothing before reuse.

**7.2 Conditions for safe storage, including any incompatibilities**

- Protect from sunlight. Do not expose to temperatures exceeding 50°C/ 122°F.

**SECTION 7: Handling and storage (....)**

- Store in a well-ventilated place. Keep cool.
- Keep away from oxidisers, heat, flames or ignition sources
- Avoid contact with acids and alkalis
- Avoid contact with acid
- Avoid contact with alkalis (strong bases)
- Keep cool.
- Forms hazardous decomposition products

**7.3 Specific end use(s)****SECTION 8: Exposure controls/personal protection****8.1 Control parameters****Substances**

Chemical Name	WEL (long term)	WEL (short term)	DNEL (Consumer; dermal, long term systemic effects)	DNEL (Consumer; inhalational, long term systemic effects)	DNEL (Consumer; inhalational, short term local effects)	DNEL (Consumer; oral, long term systemic effects)
Petroleum Gases, Liquified	1000 ppm 1750 mg/m <sup>3</sup> (8 hour TWA)	(15 min STEL) 1250 ppm 2180 mg/m <sup>3</sup>				
Ethanol; Ethyl Alcohol	1000 ppm 1920 mg/m <sup>3</sup> (8 hour TWA)	-	206 mg/kg bw/day	114 mg/m <sup>3</sup>	950 mg/m <sup>3</sup>	87 mg/kg bw/day
Propan-2-ol; Isopropyl Alcohol; Isopropanol	400 ppm 999 mg/m <sup>3</sup> (8 hour TWA)	500 ppm 1250 mg/m <sup>3</sup>	319 mg/kg bw/day	89 mg/m <sup>3</sup>		26 mg/kg bw/day
Camphor	2 ppm 13 mg/m <sup>3</sup> (8 hour TWA)	3 ppm 19 mg/m <sup>3</sup>				

**Substances**

Chemical Name	DNEL (Industry; dermal, long term systemic effects)	DNEL (Industry; inhalational, long term systemic effects)	DNEL (Industry; inhalational, short term local effects)	PNEC (Fresh water)	PNEC (intermittent)	PNEC (Marine water)
Petroleum Gases, Liquified						
Ethanol; Ethyl Alcohol	343 mg/kg bw/day	950 mg/m <sup>3</sup>	1900 mg/kg	0.96 mg/l	2.75 mg/l	0.79 mg/l
Propan-2-ol; Isopropyl Alcohol; Isopropanol	888 mg/kg bw/day	500 mg/m <sup>3</sup>		140.9 mg/l	140.9 mg/l	140.9 mg/l
Camphor						

**Substances**

Chemical Name	PNEC (Sediment; fresh water)	PNEC (Sediment; marine water)	PNEC (Soil)	PNEC (STP)
Petroleum Gases, Liquified				
Ethanol; Ethyl Alcohol	3.6 mg/kg	2.9 mg/kg	0.63 mg/kg	580 mg/l
Propan-2-ol; Isopropyl Alcohol; Isopropanol	552 mg/kg	552 mg/kg	28 mg/kg	2.251 mg/l
Camphor				

**8.2 Exposure controls**

- Apply according to good manufacturing and industrial hygiene practices with proper ventilation. Do not drink, eat or smoke while handling. Respect good personal hygiene.
- Avoid contact with eyes
- Avoid contact with skin and eyes
- Do not breathe spray/mists
- Ensure adequate ventilation
- Not required when used as directed. Wash hands after handling the product.

---

**SECTION 8: Exposure controls/personal protection (....)**

- Not required, but ensure adequate ventilation when using the product.

---

**SECTION 9: Physical and chemical properties****9.1 Information on basic physical and chemical properties**

- Physical state: Aerosol
- Colour: No information available
- Odour: Characteristic odour
- Melting point/Range: Not applicable, as aerosol
- Boiling Point/Range: Not applicable, as aerosol
- Flammability: Flammable aerosol.
- pH: Not determined
- Solubility in water: Not determined
- Density: Not available
- pH - not known
- Boiling point - not applicable
- Flash point - not applicable
- Melting point - not applicable

**9.2 Other information**

- No information available

---

**SECTION 10: Stability and reactivity****10.1 Reactivity**

- No hazardous reactions known if used for its intended purpose

**10.2 Chemical stability**

- Considered stable under normal conditions

**10.3 Possibility of hazardous reactions**

- No hazardous reactions known if used for its intended purpose

**10.4 Conditions to avoid**

- Pressurised container: protect from sunlight and do not expose to temperatures exceeding 50 °C
- Keep away from heat and sources of ignition
- Keep away from naked flames, incandescent or hot surfaces
- Avoid contact with acids and alkalis

**10.5 Incompatible materials**

- Avoid contact with acids and alkalis
- Avoid contact with oxidising substances

**10.6 Hazardous decomposition products**

- Unlikely to occur when used as directed.
- May give off noxious and toxic fumes in a fire

---

**SECTION 10: Stability and reactivity (....)**

- Smoke from fires is toxic. Take precautions to protect personnel from exposure
  - Decomposition products may include nitrogen and carbon oxides
  - Decomposition products may include toxic and irritant fumes
- 

**SECTION 11: Toxicological information****11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008****Acute toxicity****Substances**

Chemical Name	LD <sub>50</sub> (oral, rat)	LC <sub>50</sub> (inhalation, rat)	LD <sub>50</sub> (dermal)
Ethanol; Ethyl Alcohol	7060 mg/kg	Vapour 124.7 mg/l/4h	
Propan-2-ol; Isopropyl Alcohol; Isopropanol	4,710 mg/kg	30 mg/l/4h	Rat: >2,000 mg/kg bw/day
Petroleum Gases, Liquefied		>20 mg/l/4h	

**Skin corrosion/irritation**

No hazard expected under normal conditions of use

**Serious eye damage/irritation**

Irritating to eyes

**Respiratory or skin sensitisation**

No hazard expected under normal conditions of use  
May cause allergic reaction in susceptible people

**Germ cell mutagenicity**

Based on the available data, the classification criteria are not met

**Carcinogenicity**

Based on the available data, the classification criteria are not met

**Reproductive toxicity**

Based on the available data, the classification criteria are not met

**STOT (specific target organ toxicity) - single exposure**

Based on the available data, the classification criteria are not met

**STOT (specific target organ toxicity) - repeated exposure**

No hazard expected under normal conditions of use  
May cause drowsiness or dizziness.

**Aspiration hazard**

Based on the available data, the classification criteria are not met

**11.2 Information on other hazards**

- No information available

**SECTION 12: Ecological information****12.1 Toxicity**

- No information available

**Substances**

Chemical Name	PNEC (Fresh water)	PNEC (intermittent)	PNEC (Marine water)	PNEC (Sediment; fresh water)	PNEC (Sediment; marine water)	PNEC (Soil)
Ethanol; Ethyl Alcohol	0.96 mg/l	2.75 mg/l	0.79 mg/l	3.6 mg/kg	2.9 mg/kg	0.63 mg/kg
Propan-2-ol; Isopropyl Alcohol; Isopropanol	140.9 mg/l	140.9 mg/l	140.9 mg/l	552 mg/kg	552 mg/kg	28 mg/kg

**Substances**

Chemical Name	PNEC (STP)	LC <sub>50</sub> (fish)	EC <sub>50</sub> (daphnia)	IC <sub>50</sub> (algae)
Ethanol; Ethyl Alcohol	580 mg/l	14200 mg/l (96hr)		
Propan-2-ol; Isopropyl Alcohol; Isopropanol	2.251 mg/l	9,640 mg/l (96 hr)	9,417 mg/l (24 hr)	>100 mg/l (72 hr)

**12.2 Persistence and degradability**

- The preparation is expected to biodegrade rapidly. However no information on anaerobic biodegradation is available.

**12.3 Bioaccumulative potential**

- This material is unlikely to accumulate in the environment and environmental problems under normal use conditions are unexpected.

**12.4 Mobility in soil**

- No information available

**12.5 Results of PBT and vPvB assessment**

- Not a PBT according to REACH Annex XIII

**12.6 Endocrine disrupting properties**

- No information available

**12.7 Other adverse effects**

- No information available

**SECTION 13: Disposal considerations****13.1 Waste treatment methods**

- Disposal should be in accordance with local, state or national legislation

**SECTION 14: Transport information****14.1 UN number or ID number**

- UN No.: 1950

**14.2 UN proper shipping name**



---

**SECTION 14: Transport information (....)**

- Proper Shipping Name: AEROSOLS

**14.3 Transport hazard class(es)**

- Hazard Class: 2
- "Limited Quantity"

**14.4 Packing group**

- Packing Group: Not applicable
- Not applicable

**14.5 Road/Rail (ADR/RID)**

- Goods are classed as "Limited Quantities" and are therefore exempt from ADR regulations. Check local legislation for domestic transport.
- ADR Hazard Class: 2.1
- ADR Classification Code: 5F
- Tunnel Code: D

**14.6 Sea (IMDG)**

- "Limited Quantity" AEROSOLS is required according to IMDG regulations
- IMDG EmS: F - D, S - U
- IMDG Hazard Class: 2

**14.7 Environmental hazards**

- Not classified as hazardous for marine transport

**14.8 Special precautions for user**

- No information available

**14.9 Maritime transport in bulk according to IMO instruments**

- Not applicable

---

**SECTION 15: Regulatory information****15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

- EH40/2005 Occupational Exposure limits (UK)
- The COSHH Regulations apply in the UK
- Refer to current CLP Regulations

**15.2 Chemical safety assessment**

---

**SECTION 16: Other information**

Text not given with phrase codes where they are used elsewhere in this safety data sheet:-  
H220: Extremely flammable gas. H225: Highly flammable liquid and vapour. H226: Flammable liquid and vapour. H228: Flammable solid. H280: Contains gas under pressure; may explode if heated. H315: Causes skin irritation. H317: May cause an allergic skin reaction. H319: Causes serious eye irritation. H336: May cause drowsiness or dizziness. H371: May cause damage to organs. H410: Very toxic to aquatic life with long lasting effects. H411: Toxic to aquatic life with long lasting effects.

**Raw Material Data Sheets**

**SECTION 16: Other information (....)**

**EH40/2005 Occupational Exposure limits (UK)**

**Disclaimer:**

**This Safety Data Sheet does not constitute a workplace risk assessment**

**The data given here is based on current knowledge and experience. This Safety Data Sheet describes the product in terms of safety requirements and does not signify any warranty with regard to the product's properties**

--- end of safety datasheet ---

---